Accessories suitable for

MTQ 100 MH | F3 | F6 | S3 | MT W



Collets



19542



19544

	Diameter	Details	No.
F3 | S3	2,35 mm	for F3 and S3	19538
	3,00 mm	for F3 and S3	19539
F6	2,35 mm	for F6	19542
	3,00 mm	for F6	19543
	6,00 mm	for F6	19544
MT W	2,35 mm	for MT W 90° and MT W 50°	62372
	3,00 mm	for MT W 90° and MT W 50°	66789
MTQ 100 MH	2,35 mm	for MTQ 100 MH	68177
	3,00 mm	for MTQ 100 MH	68178

Accessories



27094



69087


Description	Details	No.
Foot switch for control unit	MT40 & MTQ/100	27094
Foot switch for control unit	MT50	20579
Angle handpiece for MT W	W 90°	28888
Angle handpiece for MT W	W 50°	63411
Handpiece holder	for motor handpiece	22079
Chipping sign	L Protect TS (table stand)	35561
Chipping sign	L Protect SH (gooseneck)	29978
Holder for L Protect SH	magnet socle	54252
Holder for L Protect SH	angle feet	63479
Holder for L Protect SH	screw clamp	37383
Magnifying glass with suction cups	for LED L Protect SH work lamp	69087

Rotary burrs + Grinding pins

see table on page 09 - 11

Rotary burrs suitable for

all pneumatic & electric grinders




Carbide milling pins

		d1	d2	SL	GL	No. Tooth N (3)	No. Tooth C (6)
	**Cylinder without end toothing**	3,0	3,0	14,0	38	26990	25317
		6,0	6,0	18,0	50	25318	27868
		6,3	3,0	12,7	45	72827	5159
		8,0	6,0	19,0	64	72828	72829
	**Cylinder with end toothing**	3,0	3,0	14,0	38	12361	26991
		6,0	6,0	18,0	50	72800	13954
		6,3	3,0	12,7	55	26992	26993
		8,0	6,0	19,0	64	26994	26995
	**Ball nosed cylinder**	3,0	3,0	14,0	38	72832	26997
		6,0	6,0	18,0	50	24469	14340
		6,3	3,0	12,7	44	26998	26999
		8,0	6,0	19,0	63	27000	27001
	**Ball**	3,0	3,0	2,5	38	27018	27019
		6,0	6,0	4,7	50	24468	27860
		6,3	3,0	5,0	38	27020	27021
		8,0	6,0	6,0	52	72833	31040
	**Oval**	3,0	3,0	5,5	38	72834	72836
		6,0	6,0	10,0	50	72835	72837
		6,3	3,0	9,5	42	27014	27015
		9,5	6,0	16,0	60	27016	27017
	**Ball nosed tree**	3,0	3,0	14,0	38	72838	72885
		6,0	6,0	18,0	50	72839	72886
		6,35	3,0	12,7	45	27002	27003
		9,6	6,0	19,0	64	27004	27005
	**Tree**	3,0	3,0	14,0	38	37057	27007
		6,0	6,0	18,0	50	8555	72887
		6,3	3,0	12,7	45	27008	27009
		8,0	6,0	19,0	64	27026	27027


* other versions on request

Rotary burrs suitable for

all pneumatic & electric grinders



Carbide milling pins

		d1	d2	SL	GL	No. Tooth N	No. Tooth C
	**Flame**	3,0	3,0	6,0	38	19712	35076
		6,0	6,0	14,0	50	62151	35077
		8,0	6,0	19,0	64	35078	35081
	**Cone 60°**	3,0	3,0	2,5	38	58614	72890
		6,0	6,0	4,0	50	72888	72891
		9,5	6,0	8,0	56	72889	72892
	**Cone 90°**	3,0	3,0	1,5	38	72893	72894
		6,0	6,0	3,0	50	9917	72895
		9,5	6,0	4,7	53	33552	72896
	**Ball nosed cone**	3,0	3,0	10,0	38	72898	72899
		6,0	6,0	18,0	50	15676	24761
		8,0	6,0	25,4	70	27024	27025
	**Cone**	3,0	3,0	8,0	38	72900	72901
		6,0	6,0	12,7	50	42930	72902
		6,3	3,0	12,7	49	27030	27031
		9,5	6,0	16,0	64	27032	27033
	**Inverted Cone**	3,0	3,0	4,0	38	8563	15219
		6,0	6,0	8,0	50	72904	72907
		6,3	3,0	6,0	39	72903	72906
		9,5	6,0	9,5	55	72905	72908
					d_1		
	**Set consisting of:** Cylinder, Ball nosed cylinder, Ball, Flame, Tree, Ball nosed cone, Cone, Ball nosed tree, Inverted Cone				3	19769	26885
	**Set consisting of:** Cylinder, Ball nosed cylinder, Tree, Ball nosed cone, Cone, Ball nosed tree				6	*auf Anfrage	19766

* other versions on request

Grinding pins suitable for

all pneumatic & electric grinders



Diamond grinding pins

		d_1 [mm]	d_2 [mm]	Grain fine - coarse	No.
	**Cylinder**	0,4 - 6,0	3,0 | 6,0	D 252 - D 30	-
	**Ball**	0,5 - 10,0	3,0 | 6,0	D 250 - D 30	-
	**Cone 90°**	3,0 - 10,0	3,0 | 6,0	D 252 - D 30	-
	**Cone**	0,1 - 3,0	3,0	D 252 - D 30	-
		Point angle [°]			
		5, 6, 8, 10, 12, 14, 16, 18, 20	6,0	D 252 - D 30	-
	**Set consisting of:** Cylinder, Inverted cone, Ball nosed cone, Ball, Cone, Cone 90°, Ball nosed tree, Cone, Round cone, Ball nosed cone, Flame		3,0	mittel	42730
				fein	42748
	**Set bestehend aus:** Cylinder, Inverted cone, Ball nosed cone, Ball, Cone, Cone 60°, Ball nosed tree, Tree, Ball nosed cone, Wheel		6,0	mittel	42747
				grob	42736

* other versions on request