

Accessories suitable for

MTQ 100 MH | F3 | F6 | S3 | MT W



| Collets | | Diameter | Details | No. |
|--------------|------------|----------|---------------------------|-------|
| | F3 S3 | 2,35 mm | for F3 and S3 | 19538 |
| | | 3,00 mm | for F3 and S3 | 19539 |
| <u>19542</u> | F6 | 2,35 mm | for F6 | 19542 |
| 133 12 | | 3,00 mm | for F6 | 19543 |
| | | 6,00 mm | for F6 | 19544 |
| | MT W | 2,35 mm | for MT W 90° and MT W 50° | 62372 |
| <u>19544</u> | | 3,00 mm | for MT W 90° and MT W 50° | 66789 |
| | MTQ 100 MH | 2,35 mm | for MTQ 100 MH | 68177 |
| | | 3,00 mm | for MTQ 100 MH | 68178 |

| Description | Details | No. |
|------------------------------------|--|---|
| Foot switch for control unit | MT40 & MTQ/100 | 27094 |
| Foot switch for control unit | MT50 | 20579 |
| Angle handpiece for MT W | W 90° | 28888 |
| Angle handpiece for MT W | W 50° | 63411 |
| Handpiece holder | for motor handpiece | 22079 |
| Chipping sign | L Protect TS (table stand) | 35561 |
| Chipping sign | L Protect SH (gooseneck) | 29978 |
| Holder for L Protect SH | magnet socle | 54252 |
| Holder for L Protect SH | angle feet | 63479 |
| Holder for L Protect SH | screw clamp | 37383 |
| Magnifying glass with suction cups | for LED L Protect SH work lamp | 69087 |
| | Foot switch for control unit Angle handpiece for MT W Angle handpiece for MT W Handpiece holder Chipping sign Chipping sign Holder for L Protect SH Holder for L Protect SH | Foot switch for control unit Angle handpiece for MT W W 90° Angle handpiece for MT W W 50° Handpiece holder Chipping sign L Protect TS (table stand) Chipping sign L Protect SH (gooseneck) Holder for L Protect SH angle feet |

Rotary burrs + Grinding pins see table on page 09 - 11

Rotary burrs suitable for

all pneumatic & electric grinders

| d ₂ | GL | d, | | | | | |
|---|-----------------------|------|-----|------|----|--------------------|--------------------|
| Carbide mi | lling pins | d1 | d2 | SL | GL | No. Tooth N (3) | No. Tooth C (6) |
| | | 3,0 | 3,0 | 14,0 | 38 | 26990 | 25317 |
| | Cylinder without | 6,0 | 6,0 | 18,0 | 50 | 25318 | 27868 |
| 1000000 | end toothing | 6,3 | 3,0 | 12,7 | 45 | 72827 | 5159 |
| | | 8,0 | 6,0 | 19,0 | 64 | 72828 | 72829 |
| | | 3,0 | 3,0 | 14,0 | 38 | 12361 | 26991 |
| | Cylinder with | 6,0 | 6,0 | 18,0 | 50 | 72800 | 72803 |
| | end toothing | 6,3 | 3,0 | 12,7 | 55 | 26992 | 26993 |
| | | 8,0 | 6,0 | 19,0 | 64 | 26994 | 26995 |
| | | 3,0 | 3,0 | 14,0 | 38 | 72832 | 26997 |
| CONTRACTOR OF THE PARTY OF THE | | 6,0 | 6,0 | 18,0 | 50 | 24469 | 14340 |
| | Ball nosed cylinder — | 6,3 | 3,0 | 12,7 | 44 | 26998 | 26999 |
| | | 8,0 | 6,0 | 19,0 | 63 | 27000 | 27001 |
| | | 3,0 | 3,0 | 2,5 | 38 | 27018 | 27019 |
| | | 6,0 | 6,0 | 4,7 | 50 | 24468 | 27860 |
| - Ellis | Ball | 6,3 | 3,0 | 5,0 | 38 | 27020 | 27021 |
| | | 8,0 | 6,0 | 6,0 | 52 | 72833 | 31040 |
| | | 3,0 | 3,0 | 5,5 | 38 | 72834 | 72836 |
| | _ | 6,0 | 6,0 | 10,0 | 50 | 72835 | 72837 |
| | Oval — | 6,3 | 3,0 | 9,5 | 42 | 27014 | 27015 |
| | | 9,5 | 6,0 | 16,0 | 60 | 27016 | 27017 |
| | | 3,0 | 3,0 | 14,0 | 38 | 72838 | 72885 |
| | | 6,0 | 6,0 | 18,0 | 50 | 72839 | 72886 |
| | Ball nosed tree | 6,35 | 3,0 | 12,7 | 45 | 27002 | 27003 |
| | | 9,6 | 6,0 | 19,0 | 64 | 27004 | 27005 |
| | | 3,0 | 3,0 | 14,0 | 38 | 37057 | 27007 |
| A00000 | Tree | 6,0 | 6,0 | 18,0 | 50 | 8555 | 72887 |
| - 155 | | 6,3 | 3,0 | 12,7 | 45 | 27008 | 27009 |
| | | 8,0 | 6,0 | 19,0 | 64 | 27026 | 27027 |

^{*} other versions on request



Rotary burrs suitable for

all pneumatic & electric grinders



^{*} other versions on request

Grinding pins suitable for

all pneumatic & electric grinders



| Diamond grinding pins | | d ₁ [mm] | d ₂ [mm] | Grain fine - coarse | No. |
|--|---|---|---------------------|------------------------|-------|
| | Cylinder | 0,4 - 6,0 | 3,0 6,0 | D 252 - D 30 | - |
| | Ball | 0,5 - 10,0 | 3,0 6,0 | D 250 - D 30 | - |
| | Cone 90° | 3,0 -10,0 | 3,0 6,0 | D 252 - D 30 | - |
| | Cone | 0,1 - 3,0 | 3,0 | D 252 - D 30 | - |
| | | Point angle [°] 5, 6, 8, 10, 12, 14, 16, 18, 20 | 6,0 | D 252 - D 30 | - |
| Set consisting of: Cylinder, Inverted cone, Ball nosed cone, Ball, Cone, Cone 90°, Ball nosed tree, Cone, Round cone, Ball nosed cone, Flame | | all, Cone, Cone 90°, Ball nosed | 3,0 | mittel | 42730 |
| | | | | fein | 42748 |
| | Set bestehend aus: Cylinder, Inverted cone, Ball nosed cone, Ball, Cone, Cone 60°, Ball nosed tree, Tree, Ball nosed cone, Wheel | | 6,0 | mittel | 42747 |
| | | | | grob | 42736 |

^{*} other versions on request