

Accessories suitable for

RV 15-SL | RV 40-SL | RV 120-SL | RV 220-SL |
RV 420-SL | RV 720-SL | RV 1000-SL



Accessories



☺ Perforated screens for rotary vibrators

Description	No.
Paper filter PFM40	66498
Mounting set connection to PFM40 on RV 40-SL	72026
Automatic paper filter PFA120	69786
Automatic paper filter PFA180	68168
Flowmeter 0,2-5l/min	73133
Mounting set connection to PFA 120 180 on RV 120-SL RV 220-SL RV 420-SL	72720
Refractometer	14578
Drain strainer for rotary vibrator closed	68533
Drain strainer for rotary vibrator 2 mm slots / boreholes	68534
Perforated screens for rotary vibrators	on request
Grinding media and compounds you will find on page 64 - 68	

Spare parts



☺ 67728

Description	No.
Filter fleece to PFM40 PFA120	66404
Filter fleece to PFA180	69741
Pump ASM 60/120 to RV 40-SL, PFM40	70027
Pump to automatic paper filter PFA120 & PFA200	73918
Dosing pump	67728



RT 200 | RT 400 | RT 600 | RT 800

Accessories

Description	No.
Dry media and compounds you will find on page 68	

Spare parts

Description	No.
Dust cover (without suction)	on request
Motor for hot air blower	on request
Motor for hot air blower RT400	72824

Accessories suitable for

All Slide/Vibratory grinding machines | Centrifugal plants


Ceramics grinding tools

Type	Grinding performance	Grinding pattern							
			Triangle (TRI)	Triangle angle cut (A/C TRI)	Tristar (A/C T/S)	Cylinder (CYL)	Cylinder angle cut (A/C CYL)		
WXC									
MAC									
Z									
F			4 x 4 6 x 6 8 x 8	4 x 10 6 x 12, 10 x 15			2,5 x 5 3 x 10	3 x 10 4 x 11	
PI			10 x 10 13 x 13 16 x 16 20 x 20	10 x 20, 13 x 26 15 x 15, 15 x 30	4 x 4 x 5 6 x 6 x 6 10 x 10 x 10 20 x 20 x 20	6 x 7 6 x 14 7 x 13 10 x 19	6 x 10 6 x 14 7 x 15 8 x 20 10 x 20		
BA			26 x 26 30 x 30	25 x 25, 33 x 23		20 x 40	15 x 25		
WV									
FSG									
DK									
MHS						1,7 x 5, 2,5 x 8, 3 x 10, 4 x 14			
MHC									
GP			4 x 4, 6 x 6, 8 x 6, 8 x 8, 10 x 10			1,7 x 5, 2,5 x 8, 3 x 10, 4 x 6, 4 x 10, 4 x 14	4 x 10 6 x 14		

*other sizes and qualities on request

Accessories suitable for

All Slide/Vibratory grinding machines | Centrifugal plants



















Ellipse (ELI)	Quinto (QUI)	Star (STE)	Pyramid (PYR)	Arrowhead (PFG)	Rhombus (RHO)	Sphere (KUG)
						6
14 x 14 x 5 20 x 20 x 8	10 (13 x 10) 15 (18 x 15) 25 (28 x 25) 30 (33 x 30) 35 (38 x 35)	22 x 10 x 8 35 x 17 x 12 40 x 20 x 15	15 25 35 45	14 x 14 19 x 19 24 x 24	50 x 30 x 30	
						4, 6, 8
14 x 14 x 5 20 x 20 x 8						4, 6, 8

*other sizes and qualities on request

Accessories suitable for

All Slide/Vibratory grinding machines | Centrifugal plants

Plastic grinding tools

Type	Grinding performance	Grinding pattern	Colour	 Pyramid (PYR)	 Wedge (PQ)	 Tristar (TRI)
HSC			dark grey	10, 15, 20, 25, 30, 40		22, 32, 42
HDC			rosa			
ET			dark green		11 (11 x 16)	
SP			dark red	10, 15, 20, 25, 30, 40, 50, 60		22, 32, 42, 52
NG			blue	10, 15, 20		
XS			light brown	10, 15, 20, 25, 30, 40, 50, 60		22, 32, 42, 52
HDM				10, 15, 20, 25, 30, 40		22, 32, 42
V 2030 - NC			light red	10, 15, 20, 25, 30, 40, 50, 60	11 (11 x 16)	22, 32, 42, 52
HDP				10		22, 32, 42
AF				10, 15, 20, 25, 30, 40, 50, 60		22, 32, 42, 52
CX		rosa			22, 32, 42, 52	
PP		white	15			

*other sizes and qualities on request

Accessories suitable for


All Slide/Vibratory grinding machines | Centrifugal plants




Cone (KEG)




Paraboloid (PA)




Kite (DRAE)



Kite (DRAR)



Lens (LIN)



Nipple (NIP)

8, 12, 16, 19, 24, 29, 39, 49, 59	28 (28 x 16 x 28) 41 (41 x 23 x 41) 51 (51 x 27 x 51) 61 (61 x 33 x 61)				
8, 12, 16, 19, 24, 29, 39	28 (28 x 16 x 28) 41 (41 x 23 x 41)				
8, 12, 16, 19, 24, 29, 39, 49, 59	28 (28 x 16 x 28) 41 (41 x 23 x 41) 51 (51 x 27 x 51)	63 (63 x 32 x 22)	75 (75 x 61 x 37)		
8, 12, 16, 19	28 (28 x 16 x 28)				
8, 12, 16, 19, 24, 29, 39, 49, 59	28 (28 x 16 x 28) 41 (41 x 23 x 41) 51 (51 x 27 x 51)	63 (63 x 32 x 22)	75 (75 x 61 x 37)		
8, 12, 16, 19, 24, 29, 39	28 (28 x 16 x 28) 41 (41 x 23 x 41)				
8, 12, 16, 19, 24, 29, 39, 49, 59	28 (28 x 16 x 28) 41 (41 x 23 x 41) 51 (51 x 27 x 51)	63 (63 x 32 x 22)	75 (75 x 61 x 37)	14	
8, 12, 16, 19	28 (28 x 16 x 28) 41 (41 x 23 x 41)				
8, 12, 16, 19, 24, 29, 39, 49, 59	28 (28 x 16 x 28) 41 (41 x 23 x 41) 51 (51 x 27 x 51)	63 (63 x 32 x 22)	75 (75 x 61 x 37)		53 (40 x 51), 62 (50 x 60)

Accessories suitable for

All Slide/Vibratory grinding machines | Centrifugal plants | Rotary dryer



Dry- and polishing media

	Corn cob granules				Crushed nut shells		
	Gran 2	Gran 3	Gran 4	Gran 6	Nuss 1	Nuss 4	Nuss 5
pH Range	neutral	neutral	neutral	neutral	neutral	neutral	neutral
Grain size	0,50 - 1,18 mm	0,75 - 1,60 mm	1,18 - 3,15 mm	3,15 - 4,50 mm	0,20 - 0,45 mm	1,70 - 2,40 mm	2,40 - 4,00 mm
Characteristics							
Drying effect	++	++	++	++	+	+	+
Polishing effect	+	+	+	+	++	++	++

Compounds (liquid)

	Flow-Trough processing mode	Recycling mode				Pickling and ball burnishing	
	KH 65	DE 97	KR50	KFL	SGK	KP12	FMV
Farbe	violett	yellow	blue	yellow	yellow	light yellow	yellow
pH Range	slightly alkaline	alkaline	alkaline	slightly alkaline	alkaline	acidic	acidic
Water hardness ° dH	10 - 15	10 - 15	10 - 15	10 - 15	alle Bereiche	-	-
Characteristics							
Corrosion protection	++	++	++	+	+	-	-
Cleaning	+	+	+	+	++	+	++
Degreasing	0	++	+	++	++	++	++
Brightening	+	+	+	++	+	++	++
Foam	+	+	0	+	0	+	++
Pickling effect	-	-	-	-	-	+	+
Werkstoffe							
Steel, Stainless steel, non-ferrous metals, Ceramics, Plastics	++	++	++	++	++	++	++
Aluminium	-	-	-	-	-	++	++
Silver	-	-	-	-	-	++	-
Remarks		Degreasing compound	Very good corrosion protection	Universally usable	Good corrosion protection on non-ferrous metals		Smoothing and polishing of automotive wheels

* ++ = Very good suitability (high) | + = Good suitability (medium) | 0 = Limited suitability (low) | - = No suitability (none)

** more compounds on request